



QUADRAQUA ELECTRIC

height 1828 mm, lenght 300 mm. Standard White finish (cod. 01).
Designed by Domenico De Palo

**Technical features:**

- electric radiating panel
- heater heating system
- electrical power development: QUADRAQUA S 330 Watt, QUADRAQUA L 500 Watt
- wireless digital electronic control featuring weekly program
- class II insulation, IP44
- long electricity cable: 1.200 mm, lower right side cable outlet, SCHUKO plug

Price included:

- wall bracket kit
- wireless receiver integrated on the plate with 2 leds to signal the function mode
- programmable wireless digital transmitter

Finishes available**Surcharge**

Standard White
Classic finished
Special finished
Other RAL colors

Finishing codes see page 596.


Wireless Remote Control

QUADRAQUA Electric with wireless thermostat is equipped with a wireless controller that allows remote management of every electric radiator function. Because the controller is wireless, it has the advantage of being quick and easy to install and does not require any modifications within the home.

Technical specifications

- Wireless communication via radio signals transmitted to the receiver connected to the system.
- Approx. 30-50 metre range in residential environments (868 MHz).
- Radiofrequency communication pursuant to European standards.
- Optional ITCS (Intelligent Temperature Control System)
- Open window detection function.





Model	Code	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power Watt
QUADRAQUA S ELECTRIC	QDRS030Z XX IR NNN	300	1116	300	15,5	330
QUADRAQUA L ELECTRIC	QDRL030Z XX IR NNN	300	1828	300	24,9	500

Key Codes

Width	Finish code			
Height	Packing code			
QDR	S	030	Z	XX IR NNN

