



QUADRÉ ELECTRIC

height 1517 mm, length 530 mm. Ivory finish (cod. 02).

Technical features:

- electric steel towel warmer radiator
- side manifolds with 30x30 mm square section
- horizontal tubes with 25x20 mm rectangular section
- complete with heating liquid
- red textile power cable, length 1200 mm, lower right side cable outlet, SCHUKO plug

Price included:

- wall brackets
- the model with WiFi electronic control, type E, includes the electronics in the same finish as the radiator

Finishes available	Surcharge
Standard White	
Classic finished	
Special finished	
Other RAL colors	

Finishing codes see page 596.

Electric heaters available

ELECTRIC HEATING ELEMENT WITH ON/OFF SWITCH (TYPE I)



Electric heating element with built-in ON/OFF switch. Insulation class: I. Protection index: IP54. The electronics are supplied in Standard White color (cod. 01) for white radiators; chrome for colored radiators.

ELECTRIC HEATING ELEMENT WITH REGULATOR TO CONTROL THE INTERNAL TEMPERATURE OF THE FLUID (TYPE K)



Electric heating element with 4-pole connector with electronic thermostat for regulating the temperature of the internal fluid. Insulation class: I. Protection index: IP44. The electronics are supplied in Standard White color (cod. 01) for white radiators; chrome for colored radiators.

ELECTRIC HEATING ELEMENT WITH IR ELECTRONIC CONTROL (TYPE H)



RF Wireless digital electronic control for regulating the ambient temperature, programmable weekly. Insulation class: II. Protection index: IP44. The electronics are supplied in Standard White color (cod. 01) for white radiators; chrome for colored radiators.



WIFI CONTROL UNIT *

Control your radiator remotely using the Irsap.now app available from the store (Android and iOS).

Compatible with the systems:




* Available only for UE and CH.

ELECTRIC HEATING ELEMENT WITH WI-FI ELECTRONIC CONTROL (TYPE E)



WiFi electronic control for regulating the ambient temperature, programmable weekly. Insulation class: II. Protection index: IP24. The electronics are available in the same color finish as the radiator.






	L mm	H mm	X mm
530		872	559
		1216	903
		1517	1204
		1818	1505




QUADRÈ ELECTRIC WITH SWITCH (I)




Model	Code	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power Watt
872 - 18 rails - 1 espace	QSS053 I 01 IR 01 NNN	30	872	530	13,9	400
1216 - 24 rails - 2 espaces	QSM053 I 01 IR 01 NNN	30	1216	530	18,4	600
1517 - 29 rails - 3 espaces	QSL053 I 01 IR 01 NNN	30	1517	530	22,4	700
1818 - 36 rails - 3 espaces	QSE053 I 01 IR 01 NNN	30	1818	530	27,8	800

QUADRÈ ELECTRIC WITH REGULATOR TO CONTROL THE INTERNAL TEMPERATURE OF THE FLUID (K)




Model	Code	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power Watt
872 - 18 rails - 1 espace	QSS053 K 01 IR 01 NNN	30	872	530	14,0	400
1216 - 24 rails - 2 espaces	QSM053 K 01 IR 01 NNN	30	1216	530	18,5	600
1517 - 29 rails - 3 espaces	QSL053 K 01 IR 01 NNN	30	1517	530	22,5	700
1818 - 36 rails - 3 espaces	QSE053 K 01 IR 01 NNN	30	1818	530	27,9	800

QUADRÈ ELECTRIC WITH ELECTRONIC CONTROL (H)



Model	Code	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power Watt
872 - 18 rails - 1 espace	QSS053 H 01 IR 01 NNN	30	872	530	14,1	400
1216 - 24 rails - 2 espaces	QSM053 H 01 IR 01 NNN	30	1216	530	18,6	600
1517 - 29 rails - 3 espaces	QSL053 H 01 IR 01 NNN	30	1517	530	22,6	700
1818 - 36 rails - 3 espaces	QSE053 H 01 IR 01 NNN	30	1818	530	28,1	800

QUADRÈ ELECTRIC WITH WI-FI ELECTRONIC CONTROL (E)



Model	Code	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power Watt
872 - 18 rails - 1 espace	QSS053 E 01 IR 01 NNN	30	872	530	14,4	400
1216 - 24 rails - 2 espaces	QSM053 E 01 IR 01 NNN	30	1216	530	18,9	600
1517 - 29 rails - 3 espaces	QSL053 E 01 IR 01 NNN	30	1517	530	22,9	700
1818 - 36 rails - 3 espaces	QSE053 E 01 IR 01 NNN	30	1818	530	28,4	800

Key Codes

Width	Standard White colour code - for different colour codes see the colors page
Height	Packing code
QSS053 I	01 IR 01 NNN



