

SEQUENZE ELECTRICheight 1735 mm, lenght 500 mm. Opaque White finish (cod. J8).
Designed by Angeletti & Ruzza







Technical features:

- · electric radiating panel
- heater heating system
- electrical power development: SEQUENZE S 260 Watt, SEQUENZE L 520 Watt
- wireless digital electronic control featuring weekly program
- class II insulation, IP44
- long electricity cable: 1.200 mm, lower left side cable outlet, SCHUKO plug

Finishes available	Surcharge
Standard White	
Classic finished	
Special finished	
Other RAL colors	

Finishing codes see page 596.

Price included:

- wall bracket kit
- wireless receiver integrated on the plate with 2 leds to signal the function mode.
- programmable wireless digital transmitter

Wireless Remote Control

SEQUENZE Electric with wireless thermostat is equipped with a wireless controller that allows remote management of every electric radiator function. Because the controller is wireless, it has the advantage of being quick and easy to install and does not require any modifications within the home.

Technical specifications


- Wireless communication via radio signals transmitted to the receiver connected to the system.
- Approx. 30-50 metre range in residential environments (868 MHz).
- Radiofrequency communication pursuant to European standards.
- Optional ITCS (Intelligent Temperature Control System)
- Open window detection function.




SEQUENZE

Electric

SEQUENZE S





SEQUENZE L

(€

Model	Code	Depth	Height	Width	Weight	Electric Power	
		P mm	H mm	L mm	Kg	Watt	
SEQUENZE S ELECTRIC	SQZS050Z XX IR NNN	90	845	500	19,7	260	
SEQUENZE L ELECTRIC	SQZE050Z XX IR NNN	90	1735	500	38,9	520	

Key Codes

