



VENUS ELECTRIC

height 1720 mm, length 595 mm. Standard White finish (cod. 01).

Technical features:

- electric steel towel warmer radiator
- horizontal elements with round tubes 23 mm diameter
- side manifolds with a 40x30 mm semioval section
- power cable, length 1200 mm, SCHUKO plug
- complete with thermal liquid

Price included:

- 4 white infratube for wall fixing for VENUS white and 4 chromed infratube for wall fixing for VENUS coloured
- the model with WiFi electronic control, type E, includes the electronics in the same finish as the radiator

Finishes available	Surcharge
Standard White	
Classic finished	
Special finished	
Other RAL colors	

Finishing codes see page 596.

Electric heaters available

ELECTRIC HEATING ELEMENT WITH ON/OFF SWITCH (TYPE I)



Electric heating element with built-in ON/OFF switch. Insulation class: I. Protection index: IP54. The electronics are supplied in Standard White color (cod. 01) for white radiators; chrome for colored radiators.

ELECTRIC HEATING ELEMENT WITH REGULATOR TO CONTROL THE INTERNAL TEMPERATURE OF THE FLUID (TYPE K)



Electric heating element with 4-pole connector with electronic thermostat for regulating the temperature of the internal fluid. Insulation class: I. Protection index: IP44. The electronics are supplied in Standard White color (cod. 01) for white radiators; chrome for colored radiators.

ELECTRIC HEATING ELEMENT WITH IR ELECTRONIC CONTROL (TYPE H)



RF Wireless digital electronic control for regulating the ambient temperature, programmable weekly. Insulation class: II. Protection index: IP44. The electronics are supplied in Standard White color (cod. 01) for white radiators; chrome for colored radiators.



WIFI CONTROL UNIT *

Control your radiator remotely using the **Irsap.now** app available from the store (Android and iOS).

Compatible with the systems:




* Available only for UE and CH.

ELECTRIC HEATING ELEMENT WITH WI-FI ELECTRONIC CONTROL (TYPE E)




WiFi electronic control for regulating the ambient temperature, programmable weekly. Insulation class: II. Protection index: IP24. The electronics are available in the same color finish as the radiator.






VENUS ELECTRIC WITH SWITCH (I)




Model	Code	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power Watt
818 - 15 rails - 2 espaces	MIS060 I 01 IR 01 NNN	55	818	595	10,2	400
1118 - 22 rails - 2 espaces	MIM060 I 01 IR 01 NNN	55	1118	595	14,4	700
1462 - 28 rails - 3 espaces	MIL060 I 01 IR 01 NNN	55	1462	595	18,4	700
1720 - 34 rails - 3 espaces	MIG060 I 01 IR 01 NNN	55	1720	595	22,1	1000

VENUS ELECTRIC WITH REGULATOR TO CONTROL THE INTERNAL TEMPERATURE OF THE FLUID (K)



Model	Code	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power Watt
818 - 15 rails - 2 espaces	MIS060 K 01 IR 01 NNN	55	818	595	10,1	400
1118 - 22 rails - 2 espaces	MIM060 K 01 IR 01 NNN	55	1118	595	14,4	700
1462 - 28 rails - 3 espaces	MIL060 K 01 IR 01 NNN	55	1462	595	18,4	700
1720 - 34 rails - 3 espaces	MIG060 K 01 IR 01 NNN	55	1720	595	22,2	1000


VENUS ELECTRIC WITH ELECTRONIC CONTROL (H)



Model	Code	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power Watt
818 - 15 rails - 2 espaces	MIS060 H 01 IR 01 NNN	55	818	595	10,4	400
1118 - 22 rails - 2 espaces	MIM060 H 01 IR 01 NNN	55	1118	595	14,8	700
1462 - 28 rails - 3 espaces	MIL060 H 01 IR 01 NNN	55	1462	595	18,8	700
1720 - 34 rails - 3 espaces	MIG060 H 01 IR 01 NNN	55	1720	595	22,4	1000



VENUS ELECTRIC WITH WI-FI ELECTRONIC CONTROL (E)



Model	Code	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power Watt
818 - 15 rails - 2 espaces	MIS060 E 01 IR 01 NNN	55	818	595	10,8	400
1118 - 22 rails - 2 espaces	MIM060 E 01 IR 01 NNN	55	1118	595	15,0	700
1462 - 28 rails - 3 espaces	MIL060 E 01 IR 01 NNN	55	1462	595	19,1	700
1720 - 34 rails - 3 espaces	MIG060 E 01 IR 01 NNN	55	1720	595	22,8	1000



Key Codes

Width

Standard White colour code - for different colour codes see the colors page

MIS060 I 01 IR 01 NNN

Height

Packing code

